

Patent
52478-3600**IN THE CLAIMS:**

1-39. (Cancelled)

40. (New) A broadcasting apparatus that broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment unit operable to allot a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission unit operable in accordance with the result of allotment by the allotment unit, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment unit sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time,

the allotment unit (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period; and

a cache instruction message unit operable to repeatedly transmitting a cache instruction message at a time interval that is not longer than a transmission period of the program

Patent
52478-3600

data of the specific program before the starting time of the reproduction time period of the specific program,

wherein the cache instruction message unit instructs the receiving apparatus to cache the received program data of the specific program.

52478.3600PAGE 5/035

Patent
52478-3600

41. (New) A broadcasting apparatus that broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment unit operable to allot a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission unit operable in accordance with the result of allotment by the allotment unit, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment unit sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment unit (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission unit operable to transmit table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and instruction IDs that are assigned for the instructions;

a first message transmission unit operable to transmit a first message before the starting time of the reproduction time period of the specific program, wherein the first message

524783600PRICEJURV461491

Patent
52478-3600

consists of an instruction ID that identifies the cache instruction and a program ID that identifies the program data of the specific program;

a second message transmission unit operable to transmit a second message at the starting time of the reproduction period of the specific program, wherein the second message consists of an instruction ID that identifies the reproduction instruction and a program ID that identifies the program data of the specific program; and

a third message transmission unit operable to transmit a third message at the finishing time of the reproduction time period of the specific program, wherein the third message consists of an instruction ID that identifies the deletion instruction and a program ID that identifies the program data of the specific program.

Patent
52478-3600

42. (New) A broadcasting apparatus that broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment unit operable to allot a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission unit operable in accordance with the result of allotment by the allotment unit, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment unit sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment unit (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission unit operable to transmit table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and data IDs for identifying the instructions;

Patent
52478-3600

a first data transmission unit operable to transmit a first data before the starting time of the reproduction time period of the specific program, wherein the first data has a data ID which identifies the cache instruction as an instruction to be executed by the receiving apparatus;

a second data transmission unit operable to transmit a second data at the starting time of the reproduction time period of the specific program, wherein the second data has a data ID which identifies the reproduction instruction as an instruction to be executed by the receiving apparatus; and

a third data transmission unit operable to transmit a third data at the finishing time of the reproduction time period of the specific program, wherein the third data has a data ID which identifies the deletion instruction as an instruction to be executed by the receiving apparatus.

Patent
52478-3600

43. (New) A broadcasting apparatus that broadcasts a program block which is composed of a data broadcasting program and a program or two or more successive programs which are interposed in the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program and programs included in the program block and the reproduction is performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment unit operable to

(a) allot a broadcasting bandwidth from a first time to the starting time of the reproduction time period of a leading program included in the specific program block to the data broadcasting program and all of the programs included in the specific program block, and

(b) allot the broadcasting bandwidth for a reproduction time period of each program included in the specific program block to the program and the following programs included in the same program block,

wherein the first time is a time in the reproduction time period of the data broadcasting program and which satisfies a condition so as not to interpose the other program blocks, between the first time and the specific program block;

an instruction generation unit operable to generate a storage instruction that instructs the receiving apparatus to store a program data of each program included in the specific program block in a storing unit in the receiving apparatus, and generating a reproduction instruction that instructs the receiving apparatus to reproduce the program data, in case that the program data of each program has been stored in the storing unit;

Patent
52478-3600

a transmission unit operable to repeatedly transmit the program data of the data broadcasting program and each program included in the specific program block in accordance with the result of allotment by the allotment means; and

a control unit operable to control the transmission unit so as to transmit a plurality of storage instructions for each program included in the specific program block before the starting time of the reproduction time period of the program, and transmit the reproduction instruction for the program at the starting time of the reproduction time period of the program.

52478.3600/PRCE/IRV461491

Patent
52478-3600

44. (New) A broadcasting method for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting method comprising:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time,

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period; and

a cache instruction message step for repeatedly transmitting a cache instruction message at a time interval that is not longer than a transmission period of the program data of the specific program before the starting time of the reproduction time period of the specific program,

wherein the cache instruction message step instructs the receiving apparatus to cache the received program data of the specific program.

Patent
52478-3600

45. (New) A program recording medium which is readable by a computer in a broadcasting apparatus, the broadcast apparatus broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, a computer program embodied on the program recording medium has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period; and

a cache instruction message step for repeatedly transmitting a cache instruction message at a time interval that is not longer than a transmission period of the program data of the specific program before the starting time of the reproduction time period of the specific program,

Patent
52478-3600

wherein the cache instruction message step instructs the receiving apparatus to
cache the received program data of the specific program.

52478.3600PRTCEJNRV461491

Patent
52478-3600

46. (New) A program that is readable by a computer in a broadcasting apparatus for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the program has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period; and

a cache instruction message step for repeatedly transmitting a cache instruction message at a time interval that is not longer than a transmission period of the program data of the specific program before the starting time of the reproduction time period of the specific program,

wherein the cache instruction message step instructs the receiving apparatus to cache the received program data of the specific program.

52478.3600*PRUCBYERV461491

Patent
52478-3600

47. (New) A broadcasting method for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting method comprising:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step for, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and instruction IDs that are assigned for the instructions;

a first message transmission step for transmitting a first message before the starting time of the reproduction time period of the specific program, wherein the first message

Patent
52478-3600

consists of an instruction ID that identifies the cache instruction and a program ID that identifies the program data of the specific program;

a second message transmission step for transmitting a second message at the starting time of the reproduction period of the specific program, wherein the second message consists of an instruction ID that identifies the reproduction instruction and a program ID that identifies the program data of the specific program; and

a third message transmission step for transmitting a third message at the finishing time of the reproduction time period of the specific program, wherein the third message consists of an instruction ID that identifies the deletion instruction and a program ID that identifies the program data of the specific program.

Patent
52478-3600

48. (New) A program recording medium which is readable by a computer in a broadcasting apparatus, the broadcast apparatus broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, a computer program embodied in the program recording medium has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step for, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and instruction IDs that are assigned for the instructions;

52478.3600/PRJCE/IRV/61491

Patent
52478-3600

a first message transmission step for transmitting a first message before the starting time of the reproduction time period of the specific program, wherein the first message consists of an instruction ID that identifies the cache instruction and a program ID that identifies the program data of the specific program;

a second message transmission step for transmitting a second message at the starting time of the reproduction period of the specific program, wherein the second message consists of an instruction ID that identifies the reproduction instruction and a program ID that identifies the program data of the specific program; and

a third message transmission step for transmitting a third message at the finishing time of the reproduction time period of the specific program, wherein the third message consists of an instruction ID that identifies the deletion instruction and a program ID that identifies the program data of the specific program.

Patent
52478-3600

49. (New) A program that is readable by a computer in a broadcasting apparatus for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the program has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step for, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and instruction IDs that are assigned for the instructions;

Patent
52478-3600

a first message transmission step for transmitting a first message before the starting time of the reproduction time period of the specific program, wherein the first message consists of an instruction ID that identifies the cache instruction and a program ID that identifies the program data of the specific program;

a second message transmission step for transmitting a second message at the starting time of the reproduction period of the specific program, wherein the second message consists of an instruction ID that identifies the reproduction instruction and a program ID that identifies the program data of the specific program; and

a third message transmission step for transmitting a third message at the finishing time of the reproduction time period of the specific program, wherein the third message consists of an instruction ID that identifies the deletion instruction and a program ID that identifies the program data of the specific program.

Patent
52478-3600

50. (New) A broadcasting method for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and data IDs for identifying the instructions;

Patent
52478-3600

a first data transmission step for transmitting a first data before the starting time of the reproduction time period of the specific program, wherein the first data has a data ID which identifies the cache instruction as an instruction to be executed by the receiving apparatus;

a second data transmission step for transmitting a second data at the starting time of the reproduction time period of the specific program, wherein the second data has a data ID which identifies the reproduction instruction as an instruction to be executed by the receiving apparatus; and

a third data transmission step for transmitting a third data at the finishing time of the reproduction time period of the specific program, wherein the third data has a data ID which identifies the deletion instruction as an instruction to be executed by the receiving apparatus.

Patent
52478-3600

51. (New) A program record medium which is readable by a computer in a broadcasting apparatus, the broadcast apparatus broadcasts a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, a computer program embodied in the program recording medium has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and data IDs for identifying the instructions;

52478.3600PRICE/IRVV461491

Patent
52478-3600

a first data transmission step for transmitting a first data before the starting time of the reproduction time period of the specific program, wherein the first data has a data ID which identifies the cache instruction as an instruction to be executed by the receiving apparatus;

a second data transmission step for transmitting a second data at the starting time of the reproduction time period of the specific program, wherein the second data has a data ID which identifies the reproduction instruction as an instruction to be executed by the receiving apparatus; and

a third data transmission step for transmitting a third data at the finishing time of the reproduction time period of the specific program, wherein the third data has a data ID which identifies the deletion instruction as an instruction to be executed by the receiving apparatus.

Patent
52478-3600

52. (New) A program that is readable by a computer in a broadcasting apparatus for broadcasting a specific program to which a reproduction time period between a starting time and a finishing time is specified, the reproduction being performed by a receiving apparatus, the program has the computer conduct the steps of:

an allotment step for allotting a broadcasting bandwidth for the reproduction time period to the specific program and allotting a part of the broadcasting bandwidth for a preceding time period immediately before the reproduction time period to the specific program and the other part of the broadcasting bandwidth to another program;

a transmission step, in accordance with the result of allotment by the allotment step, for (a) repeatedly transmitting program data of the other program while transmitting program data of the specific program in the preceding time period, and (b) repeatedly transmitting the program data of the specific program in the reproduction time period,

wherein the allotment step sets a starting time of the preceding time period as a first time and a time included in between the first time and the starting time of the reproduction time period as a second time, and

the allotment step (a) allots a broadcasting bandwidth not broader than a predetermined broadcasting bandwidth to the specific program from the first time to the second time, and (b) allots a broadcasting bandwidth broader than the predetermined broadcasting to the specific program from the second time to the finishing time of the reproduction time period;

a table data transmission step for transmitting table data before the starting time of the reproduction time period of the specific program, wherein the table data includes information on correspondences between instructions to cache, reproduce, and delete the program data of the specific program and data IDs for identifying the instructions;

Patent
52478-3600

a first data transmission step for transmitting a first data before the starting time of the reproduction time period of the specific program, wherein the first data has a data ID which identifies the cache instruction as an instruction to be executed by the receiving apparatus;

a second data transmission step for transmitting a second data at the starting time of the reproduction time period of the specific program, wherein the second data has a data ID which identifies the reproduction instruction as an instruction to be executed by the receiving apparatus; and

a third data transmission step for transmitting a third data at the finishing time of the reproduction time period of the specific program, wherein the third data has a data ID which identifies the deletion instruction as an instruction to be executed by the receiving apparatus.

Patent
52478-3600

53. (New) A broadcasting method for broadcasting a program block which is composed of a data broadcasting program and a program or two or more successive programs which are interposed in the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program and programs included in the program block and the reproduction is performed by a receiving apparatus, the broadcasting apparatus comprising:

an allotment step for

(a) allotting a broadcasting bandwidth from a first time to the starting time of the reproduction time period of a leading program included in the specific program block to the data broadcasting program and all of the programs included in the specific program block, and

(b) allotting the broadcasting bandwidth for a reproduction time period of each program included in the specific program block to the program and the following programs included in the same program block,

wherein the first time is a time in the reproduction time period of the data broadcasting program and which satisfies a condition so as not to interpose the other program blocks, between the first time and the specific program block;

an instruction generation step to generate a storage instruction that instructs the receiving apparatus to store a program data of each program included in the specific program block in a storing unit in the receiving apparatus, and generating a reproduction instruction that instructs the receiving apparatus to reproduce the program data, in case that the program data of each program has been stored in the storing unit;

Patent
52478-3600

a transmission step to repeatedly transmit the program data of the data broadcasting program and each program included in the specific program block in accordance with the result of allotment by the allotment means; and

a control step to control the transmission unit so as to transmit a plurality of storage instructions for each program included in the specific program block before the starting time of the reproduction time period of the program, and transmit the reproduction instruction for the program at the starting time of the reproduction time period of the program.

Patent
52478-3600

54. (New) A program recording medium which is readable by a computer in a broadcasting apparatus, the broadcast apparatus broadcasts a program block which is composed of a data broadcasting program and a program or two or more successive programs which are interposed in the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program and programs included in the program block and the reproduction is performed by a receiving apparatus, a computer program embodied on the program recording medium has the computer conduct the steps of:

an allotment step for

(a) allotting a broadcasting bandwidth from a first time to the starting time of the reproduction time period of a leading program included in the specific program block to the data broadcasting program and all of the programs included in the specific program block, and

(b) allotting the broadcasting bandwidth for a reproduction time period of each program included in the specific program block to the program and the following programs included in the same program block,

wherein the first time is a time in the reproduction time period of the data broadcasting program and which satisfies a condition so as not to interpose the other program blocks, between the first time and the specific program block;

an instruction generation step to generate a storage instruction that instructs the receiving apparatus to store a program data of each program included in the specific program block in a storing unit in the receiving apparatus, and generating a reproduction instruction that instructs the receiving apparatus to reproduce the program data, in case that the program data of each program has been stored in the storing unit;

Patent
52478-3600

a transmission step to repeatedly transmit the program data of the data broadcasting program and each program included in the specific program block in accordance with the result of allotment by the allotment means; and

a control step to control the transmission unit so as to transmit a plurality of storage instructions for each program included in the specific program block before the starting time of the reproduction time period of the program, and transmit the reproduction instruction for the program at the starting time of the reproduction time period of the program.

Patent
52478-3600

55. (New) A program that is readable by a computer in a broadcasting apparatus, the broadcast apparatus broadcasts a program block which is composed of a data broadcasting program and a program or two or more successive programs which are interposed in the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program, wherein a reproduction time period between a starting time and a finishing time is specified to each of the data broadcasting program and programs included in the program block and the reproduction is performed by a receiving apparatus, the program has the computer conduct the steps of:

an allotment step for

(a) allotting a broadcasting bandwidth from a first time to the starting time of the reproduction time period of a leading program included in the specific program block to the data broadcasting program and all of the programs included in the specific program block, and

(b) allotting the broadcasting bandwidth for a reproduction time period of each program included in the specific program block to the program and the following programs included in the same program block,

wherein the first time is a time in the reproduction time period of the data broadcasting program and which satisfies a condition so as not to interpose the other program blocks, between the first time and the specific program block;

an instruction generation step to generate a storage instruction that instructs the receiving apparatus to store a program data of each program included in the specific program block in a storing unit in the receiving apparatus, and generating a reproduction instruction that instructs the receiving apparatus to reproduce the program data, in case that the program data of each program has been stored in the storing unit;

Patent
52478-3600

a transmission step to repeatedly transmit the program data of the data broadcasting program and each program included in the specific program block in accordance with the result of allotment by the allotment means; and

a control step to control the transmission unit so as to transmit a plurality of storage instructions for each program included in the specific program block before the starting time of the reproduction time period of the program, and transmit the reproduction instruction for the program at the starting time of the reproduction time period of the program.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☒ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.